

Modality References

The references cited on these pages are not claimed to be a comprehensive listing, but represent a selection from the research database from 2000 - 2003 (plus the occasional 2004). The references are divided into broad sections by modality and deliberately do not include references prior to 2000.

If you are aware of a good / useful / interesting paper that I do not appear to have listed, please do let me know.

I have not deliberately edited out the papers that do not support the use of electrotherapy - nor have I made any value judgement by including (or not) a paper from this list - that is for you to do!

Electrical Stimulation	Electrical Stimulation for Wound Healing	Interferential Therapy	Magnetic Therapy
Shortwave and Pulsed Shortwave	Shortwave and Pulsed Shortwave for Fracture Healing	TENS	Tissue Healing and Wound Repair
	Ultrasound	Ultrasound for Fracture Repair	

Electrical Stimulation

Alves-Guerreiro, J., G. Noble, et al. (2001). "The effect of three electrotherapeutic modalities upon peripheral nerve conduction and mechanical pain threshold." *Clinical Physiology* **21**(6): 704-711.

Atkinson, M. (2001). "A new way to tackle pain." *Sportex-Med* **8**: 9-10.

Basford, J. R. (2001). "A historical perspective of the popular use of electric and magnetic therapy." *Arch Phys Med Rehabil* **82**(9): 1261-9.

Bole, K. (2002). "Healing the body electric: a new technique that combines the principles of acupuncture, massage, electrotherapy and physical therapy is successfully helping many patients with chronic pain live normal lives again... electrotherapeutic point stimulation." *Alternative Medicine*(48): 68-70, 72-7 Nli: 9424597.

Chapman Jones, D. and D. Hill (2002). "Novel microcurrent treatment is more effective than conventional therapy for chronic Achilles tendinopathy: randomised comparative trial." *Physiotherapy* **88**(8): 471-80.

Goldman, R. J., B. I. Brewley, et al. (2002). "Electrotherapy reoxygenates inframalleolar ischemic wounds on diabetic patients." *Advances in Skin and Wound Care* **15**(3 part 1): 112-20.

Hill, L. L. (2001). "Diagnostic corner. Clinical electrostimulation parameters." *DC Tracts* **13**(4): 4-9, 13-4.

Janssen, T. W. and M. T. Hopman (2003). "Blood flow response to electrically induced twitch and tetanic lower limb muscle contractions." *Arch Phys Med Rehabil* **84**(7): 982-7.

Jarm, T., M. Cemazar, et al. (2003). "Perturbation of blood flow as a mechanism of anti-tumour action of direct current electrotherapy." *Physiological Measurement* **24**: 75-90.

Kemler, M. A., J. P. H. Reulen, et al. (2001). "Impact of spinal cord stimulation on sensory

- characteristics in complex regional pain syndrome type I: a randomized trial." Anesthesiology **95**(1): 72-80.
- Kloth, L. C. (2001). "Treatment options. 5 questions -- and answers -- about electrical stimulation." Advances in Skin and Wound Care **14**(3): 156, 158.
- Lamb, S. E., J. A. Oldham, et al. (2002). "Neuromuscular stimulation of the quadriceps muscle after hip fracture: a randomized controlled trial." Arch Phys Med Rehabil **83**(8): 1087-92.
- Laska, T. and K. Hannig (2001). "Physical therapy for spinal accessory nerve injury complicated by adhesive capsulitis." Physical Therapy **81**(3): 936-44.
- Liboff, A. R. and K. A. Jenrow (2002). "Physical mechanisms in neuroelectromagnetic therapies." Neurorehabilitation and Neural Repair **17**(1): 9-22.
- Matsuoka, A. J., Rubenstein, J.T., et al. (2001). "The effects of interpulse interval on stochastic properties of electrical stimulation: Models and measurements." IEEE Trans Biomed Eng **48**(4): 416-424.
- Naslund, J. (2001). "Modes of sensory stimulation: clinical trials and physiological aspects." Physiotherapy **87**(8): 413-23.
- Ogino, M., N. Shiba, et al. (2002). "MRI quantification of muscle activity after volitional exercise and neuromuscular electrical stimulation." American Journal of Physical Medicine and Rehabilitation **81**(6): 446-51.
- Palmer, S. T., D. J. Martin, et al. (2004). "Effects of electric stimulation on C and A delta fiber-mediated thermal perception thresholds." Arch Phys Med Rehabil **85**: 119-128.
- Perez, M., A. Lucia, et al. (2003). "Effects of electrical stimulation on VO₂ kinetics and selta efficiency in healthy young men." Br J Sports Med **37**: 140-143.
- Peters, E. J., L. A. Lavery, et al. (2001). "Electric stimulation as an adjunct to heal diabetic foot ulcers: a randomized clinical trial." Arch Phys Med Rehabil **82**(6): 721-5.
- Pomeroy, V. and R. Tallis (2002). "Neurological rehabilitation: a science struggling to come of age." Physiotherapy Research International **7**(2): 76-89.
- Price, D. I. M. and A. D. Pandyan (2001). "Electrical stimulation for preventing and treating post-stroke shoulder pain: a systematic Cochrane review." Clinical Rehabilitation **15**(1): 5-19.
- Roche, P., H.-Y. Tan, et al. (2002). "Modification of induced ischaemic pain by placebo electrotherapy." Physiotherapy Theory and Practice **18**: 131-139.
- Slade, J. M., C. S. Bickel, et al. (2003). "Variable frequency trains enhance torque independent of stimulation amplitude." Acta Physiol Scand **177**: 87-92.
- Song, B., M. Zhao, et al. (2002). "Electrical cues regulate the orientation and frequency of cell division and the rate of wound healing in vivo." PNAS **99**(21): 13577-13582.
- Takata, S. and T. Ikata (2001). "Differences in energy metabolism and neuromuscular transmission between 30-Hz and 100-Hz stimulation in rat skeletal muscle." Arch Phys Med Rehabil **82**(5): 666-70.

Thawer, H. A. and P. E. Houghton (2001). "Effects of electrical stimulation on the histological properties of wounds in diabetic mice." Wound Repair Regen **9**: 107-115.

Tyers, S. and R. B. Smith (2001). "A comparison of cranial electrotherapy stimulation alone or with chiropractic therapies in the treatment of fibromyalgia." Am-Chiropractor **23**(2): 39-41.

Vanderthommen, M., J. C. Depresseux, et al. (2002). "Blood flow variation in human muscle during electrically stimulated exercise bouts." Arch Phys Med Rehabil **83**(7): 936-41.

Ward, A. R., V. J. Robertson, et al. (2002). "Optimal frequencies for electric stimulation using medium-frequency alternating current." Arch Phys Med Rehabil **83**(7): 1024-7.

Wright, A. and K. A. Sluka (2001). "Nonpharmacological treatments for musculoskeletal pain." Clin-J-Pain **17**(1): 33-46.

Yanagi, T. and N. Shiba (2003). "Agonist contractions against electrically stimulated antagonists." Arch Phys Med Rehabil **84**(6): 843-8.

Yu, D. T., J. Chae, et al. (2001). "Percutaneous intramuscular neuromuscular electric stimulation for the treatment of shoulder subluxation and pain in patients with chronic hemiplegia: a pilot study." Arch Phys Med Rehabil **82**(1): 20-5.

Yu, D. T., J. Chae, et al. (2001). "Comparing stimulation-induced pain during percutaneous (intramuscular) and transcutaneous neuromuscular electric stimulation for treating shoulder subluxation in hemiplegia." Arch Phys Med Rehabil **82**(6): 756-60.



[Return to Top](#)

Electrical Stimulation for Wound Healing

Adegoke, B. O. and K. A. Badmos (2001). "Acceleration of pressure ulcer healing in spinal cord injured patients using interrupted direct current." Afr J Med Med Sci **30**(3): 195-7.

Akai, M. and K. Hayashi (2002). "Effect of electrical stimulation on musculoskeletal systems; a meta-analysis of controlled clinical trials." Bioelectromagnetics **23**(2): 132-43.

Anglen, J. (2003). "The clinical use of bone stimulators." J South Orthop Assoc **12**(2): 46-54.

Bogie, K. M., S. I. Reger, et al. (2000). "Electrical stimulation for pressure sore prevention and wound healing." Assist Technol **12**(1): 50-66.

Brissot, R., P. Gallien, et al. (2000). "Clinical experience with functional electrical stimulation-assisted gait with Parastep in spinal cord-injured patients." Spine **25**(4): 501-8.

Burssens, P., R. Forsyth, et al. (2003). "Influence of burst TENS stimulation on the healing of Achilles tendon suture in man." Acta Orthop Belg **69**(6): 528-32.

Chae, J., K. Kilgore, et al. (2000). "Functional neuromuscular stimulation in spinal cord injury." Phys Med Rehabil Clin N Am **11**(1): 209-26, x.

- Childs, S. G. (2003). "Stimulators of bone healing. Biologic and biomechanical." Orthop Nurs **22**(6): 421-8.
- Cho, M. R., H. S. Thatte, et al. (2000). "Integrin-dependent human macrophage migration induced by oscillatory electrical stimulation." Ann Biomed Eng **28**(3): 234-43.
- Cukjati, D., M. Robnik-Sikonja, et al. (2001). "Prognostic factors in the prediction of chronic wound healing by electrical stimulation." Med Biol Eng Comput **39**(5): 542-50.
- Cullum, N., E. A. Nelson, et al. (2001). "Systematic reviews of wound care management: (5) beds; (6) compression; (7) laser therapy, therapeutic ultrasound, electrotherapy and electromagnetic therapy." Health Technol Assess **5**(9): 1-221.
- Dejardin, L. M., N. Kahanovitz, et al. (2001). "The effect of varied electrical current densities on lumbar spinal fusions in dogs." Spine J **1**(5): 341-7.
- Divelbiss, B. J. and B. D. Adams (2001). "Electrical and ultrasound stimulation for scaphoid fractures." Hand Clin **17**(4): 697-701, x-xi.
- Edsberg, L. E., M. S. Brogan, et al. (2002). "Topical hyperbaric oxygen and electrical stimulation: exploring potential synergy." Ostomy Wound Manage **48**(11): 42-50.
- Evans, R. D., D. Foltz, et al. (2001). "Electrical stimulation with bone and wound healing." Clin Podiatr Med Surg **18**(1): 79-95, vi.
- Everaert, K., A. Derie, et al. (2000). "Bilateral S3 nerve stimulation, a minimally invasive alternative treatment for postoperative stress incontinence after implantation of an anterior root stimulator with posterior rhizotomy: a preliminary observation." Spinal Cord **38**(4): 262-4.
- France, J. C., T. L. Norman, et al. (2001). "The efficacy of direct current stimulation for lumbar intertransverse process fusions in an animal model." Spine **26**(9): 1002-8.
- Franek, A., A. Polak, et al. (2000). "Modern application of high voltage stimulation for enhanced healing of venous crural ulceration." Med Eng Phys **22**(9): 647-55.
- Goldman, R., B. Brewley, et al. (2003). "Electrotherapy reverses inframalleolar ischemia: a retrospective, observational study." Adv Skin Wound Care **16**(2): 79-89.
- Goldman, R. J., B. I. Brewley, et al. (2002). "Electrotherapy reoxygenates inframalleolar ischemic wounds on diabetic patients: a case series." Adv Skin Wound Care **15**(3): 112-20.
- Hess, C. L., M. A. Howard, et al. (2003). "A review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation." Ann Plast Surg **51**(2): 210-8.
- Houghton, P. E., C. B. Kincaid, et al. (2003). "Effect of electrical stimulation on chronic leg ulcer size and appearance." Physical Therapy **83**: 17-28.
- Khalil, Z. and M. Merhi (2000). "Effects of aging on neurogenic vasodilator responses evoked by transcutaneous electrical nerve stimulation: relevance to wound healing." J Gerontol A Biol Sci Med Sci **55**(6): B257-63.

- Kloth, L. C. (2001). "5 questions--and answers--about electrical stimulation." Adv Skin Wound Care **14** (3): 156, 158.
- Kloth, L. C. (2002). "How to use electrical stimulation for wound healing." Nursing **32**(12): 17.
- Lebedev, V. P., O. B. Il'inskii, et al. (2002). "[Noninvasive transcranial electrostimulation of endorphin structures of the brain as a reparation activator: experimental and clinical parallels]." Med Tekh(6): 32-5.
- Liebano, R. E., L. M. Ferreira, et al. (2002). "The effect of transcutaneous electrical nerve stimulation on the viability of random skin flaps in rats." Can J Plast Surg **10**(4): 151-154.
- Nelson, F. R., C. T. Brighton, et al. (2003). "Use of physical forces in bone healing." J Am Acad Orthop Surg **11**(5): 344-54.
- Nuccitelli, R. (2003). "A role for endogenous electric fields in wound healing." Curr Top Dev Biol **58**: 1-26.
- Ojingwa, J. C. and R. R. Isseroff (2003). "Electrical stimulation of wound healing." J Invest Dermatol **121**(1): 1-12.
- Pace, A. V., N. Saratzis, et al. (2002). "Spinal cord stimulation in Buerger's disease." Ann Rheum Dis **61** (12): 1114.
- Patterson, M. (2000). "What's the buzz on external bone growth stimulators?" Nursing **30**(6): 44-5.
- Peters, E. J., L. A. Lavery, et al. (2001). "Electric stimulation as an adjunct to heal diabetic foot ulcers: a randomized clinical trial." Arch Phys Med Rehabil **82**(6): 721-5.
- Riess, J. and J. J. Abbas (2000). "Adaptive neural network control of cyclic movements using functional neuromuscular stimulation." IEEE Trans Rehabil Eng **8**(1): 42-52.
- Robnik-Sikonja, M., D. Cukjati, et al. (2003). "Comprehensible evaluation of prognostic factors and prediction of wound healing." Artif Intell Med **29**(1-2): 25-38.
- Sheffet, A., A. S. Cytryn, et al. (2000). "Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review." Ostomy Wound Manage **46**(2): 28-44.
- Song, B., M. Zhao, et al. (2002). "Electrical cues regulate the orientation and frequency of cell division and the rate of wound healing in vivo." PNAS **99**(21): 13577-13582.
- Spielholz, N. I. and L. C. Kloth (2000). "Electrical stimulation and pulsed electromagnetic energy: differences in opinion." Ostomy Wound Manage **46**(5): 8, 10, 12.
- Spielholz, N. I. and L. C. Kloth (2000). "Electrical stimulation and pulsed electromagnetic energy: differences in opinion [letter]." Ostomy Wound Manage **46**(5): 8, 10, 12.
- Targan, R. S., G. Alon, et al. (2000). "Effect of long-term electrical stimulation on motor recovery and improvement of clinical residuals in patients with unresolved facial nerve palsy." Otolaryngol Head Neck Surg **122**(2): 246-52.
- Thawer, H. A. and P. E. Houghton (2001). "Effects of electrical stimulation on the histological properties

of wounds in diabetic mice." Wound Repair Regen **9**(2): 107-15.

Trock, D. H. (2000). "Electromagnetic fields and magnets. Investigational treatment for musculoskeletal disorders." Rheum Dis Clin North Am **26**(1): 51-62, viii.



Interferential Therapy

Adedoyin, R. A., M. O. B. Olaogun, et al. (2002). "Effect of interferential current stimulation in management of osteo-arthritic knee pain." Physiotherapy **88**(8): 493-9.

Alves-Guerreiro, J., G. Noble, et al. (2001). "The effect of three electrotherapeutic modalities upon peripheral nerve conduction and mechanical pain threshold." Clinical Physiology **21**(6): 704-711.

Bircan, C., O. Senocak, et al. (2002). "Efficacy of two forms of electrical stimulation in increasing quadriceps strength: a randomized controlled trial." Clin Rehabil **16**(2): 194-9.

Cramp, F. L., G. Noble, et al. (2000). "A controlled study on the effects of transcutaneous electrical nerve stimulation and interferential therapy upon the RIII nociceptive and H- reflexes in humans." Arch Phys Med Rehabil **81**(3): 324-33.

Gracey, J. H., S. M. McDonough, et al. (2002). "Physiotherapy management of low back pain: a survey of current practice in northern Ireland." Spine **27**(4): 406-11.

Hou, C. R., L. C. Tsai, et al. (2002). "Immediate effects of various physical therapeutic modalities on cervical myofascial pain and trigger-point sensitivity." Arch Phys Med Rehabil **83**(10): 1406-14.

Hurley, D. A., P. M. Minder, et al. (2001). "Interferential therapy electrode placement technique in acute low back pain: a preliminary investigation." Arch Phys Med Rehabil **82**(4): 485-93.

Johnson, M. I. and G. Tabasam (2003). "An investigation into the analgesic effects of different frequencies of the amplitude-modulated wave of interferential current therapy on cold-induced pain in normal subjects." Arch Phys Med Rehabil **84**(9): 1387-94.

Johnson, M. I. and G. Tabasam (2003). "A single-blind investigation into the hypoalgesic effects of different swing patterns of interferential currents on cold-induced pain in healthy volunteers." Arch Phys Med Rehabil **84**(3): 350-7.

Lambert, I., S. Tebbs, et al. (2000). "Interferential therapy machines as possible vehicles for cross infection." Journal of Hospital Infection **44**: 59-64.

Lambert, I., S. E. Tebbs, et al. (2000). "Interferential therapy machines as possible vehicles for cross-infection." J Hosp Infect **44**(1): 59-64.

Noble, J. G., G. Henderson, et al. (2000). "The effect of interferential therapy upon cutaneous blood flow in humans." Clin Physiol **20**(1): 2-7.

Palmer, S. T., D. J. Martin, et al. (2004). "Effects of electric stimulation on C and A delta fiber-mediated thermal perception thresholds." Arch Phys Med Rehabil **85**: 119-128.

Philipp, A., G. K. Wolf, et al. (2000). "Interferential current is effective in palmar psoriasis: an open prospective trial." Eur J Dermatol **10**(3): 195-8.

Roche, P., H.-Y. Tan, et al. (2002). "Modification of induced ischaemic pain by placebo electrotherapy." Physiotherapy Theory and Practice **18**: 131-139.

Sontag, W. (2000). "Modulation of cytokine production by interferential current in differentiated HL-60 cells." Bioelectromagnetics **21**(3): 238-44.

Stephenson, R. and E. Walker (2003). "The analgesic effects of interferential (IF) current on cold-pressor pain in healthy subjects: a single blind trial of three IF currents against sham IF and control." Physiotherapy Theory and Practice **19**: 99-107.

Ward, A. R., V. J. Robertson, et al. (2002). "Optimal frequencies for electric stimulation using medium-frequency alternating current." Arch Phys Med Rehabil **83**(7): 1024-7.

Watson, T. (2000). "The role of electrotherapy in contemporary physiotherapy practice." Man Ther **5**(3): 132-41.



[Return to Top](#)

Magnetic Therapy

Basford, J. R. (2001). "A historical perspective of the popular use of electric and magnetic therapy." Arch Phys Med Rehabil **82**(9): 1261-9.

Cuevas, P. and E. Asin-Cardiel (2000). "Electromagnetic therapeutic angiogenesis: the next step." Neurol Res **22**(4): 349-50.

George, M. S., H. A. Sackeim, et al. (2000). "Vagus nerve stimulation: a new tool for brain research and therapy [see comments]." Biol Psychiatry **47**(4): 287-95.

Hinman, M. R. (2002). "The therapeutic use of magnets: A review of recent research." Physical Therapy Reviews **7**: 33-43.

Hoshiyama, M. and R. Kakigi (2000). "After-effect of transcutaneous electrical nerve stimulation (TENS) on pain-related evoked potentials and magnetic fields in normal subjects." Clin Neurophysiol **111**(4): 717-24.

Houeto, J. L., P. Damier, et al. (2000). "Subthalamic stimulation in Parkinson disease: a multidisciplinary approach." Arch Neurol **57**(4): 461-5.

Loher, T. J., M. G. Hasdemir, et al. (2000). "Long-term follow-up study of chronic globus pallidus internus stimulation for posttraumatic hemidystonia." J Neurosurg **92**(3): 457-60.

Marks, R. A. (2000). "Spine fusion for discogenic low back pain: outcomes in patients treated with or without pulsed electromagnetic field stimulation." Adv Ther **17**(2): 57-67.

Ouellette, E. A. (2000). "Pain management and electromagnetic medicine." Instr Course Lect **49**: 545-7.

Segal, N. A., Y. Toda, et al. (2001). "Two configurations of static magnetic fields for treating rheumatoid arthritis of the knee: a double-blind clinical trial." Arch Phys Med Rehabil **82**(10): 1453-60.

Sheffet, A., A. S. Cytryn, et al. (2000). "Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review." Ostomy Wound Manage **46**(2): 28-33, 36-40, 42-4.

Spielholz, N. I. and L. C. Kloth (2000). "Electrical stimulation and pulsed electromagnetic energy: differences in opinion [letter; comment]." Ostomy Wound Manage **46**(5): 8, 10, 12.

Travis, F. and C. Durchholz (2000). "Can an electronic device improve mood and well-being, and decrease anxiety?" Int J Neurosci **103**(1-4): 91-9.

Trock, D. H. (2000). "Electromagnetic fields and magnets. Investigational treatment for musculoskeletal disorders." Rheum Dis Clin North Am **26**(1): 51-62, viii.

Weintraub, M. L. and G. I. Wolfe (2003). "Static magnetic field therapy." Arch Phys Med Rehabil **84**(5): 736-46.



[Return to Top](#)

Shortwave and Pulsed Shortwave

Benjamin, B., D. Ziginas, et al. (2002). "Pulsed electrostatic fields (ETG) to reduce hair loss in women undergoing chemotherapy for breast carcinoma: a pilot study." Psycho Oncology **11**(3): 244-8.

Buzzard, B. M., R. K. Pratt, et al. (2003). "Is pulsed shortwave diathermy better than ice therapy for the reduction of oedema following calcaneal fractures?" Physiotherapy **89**(12): 734-742.

Carter, T. R., D. S. Baile, et al. (2003). "Radiofrequency electrothermal shrinkage of the anterior cruciate ligament." Am J Sports Med **30**(2): 221-226.

Edwards, R. B., Y. Lu, et al. (2002). "Thermal chondroplasty of chondromalacic human cartilage." Am J Sports Med **30**(1): 90-97.

- Garrett, C. L., D. O. Draper, et al. (2000). "Heat distribution in the lower leg from pulsed short-wave diathermy and ultrasound treatments." Journal of Athletic Training **35**(1): 50-5.
- Gross, A. R., P. D. Aker, et al. (2001). Physical medicine modalities for mechanical neck disorders.
- Hill, J., M. Lewis, et al. (2002). "Pulsed short-wave diathermy effects on human fibroblast proliferation." Arch-Phys-Med-Rehabil **83**(6): 832-836.
- Lopez, M. J. and M. D. Markel (2003). "Anterior cruciate ligament rupture after thermal treatment in a canine model." Am J Sports Med **31**(2): 164-167.
- Murray, C. C. and S. Kitchen (2000). "Effect of pulse repetition rate on the perception of thermal sensation with pulsed shortwave diathermy." Physiotherapy Research International **5**(2): 73-84.
- Pickering, S. A., R. Bayston, et al. (2003). "Electromagnetic augmentation of antibiotic efficacy in infection of orthopaedic implants." The Journal of Bone and Joint Surgery **85-B**(4): 588-593.
- Potzl, W., K.-A. Witt, et al. (2003). "Influence of postoperative immobilisation on tendon length after radiofrequency induced shrinkage." Am J Sports Med **31**(1): 36-40.
- Ryan, A., A. Bertone, et al. (2003). "The effects of radiofrequency energy treatment on chondrocytes and matrix of fibrillated articular cartilage." Am J Sports Med **31**(3): 386-391.
- Sheffet, A., A. S. Cytryn, et al. (2000). "Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review." OstomyWound Management **46**(2): 28-33, 36-8, 40 passim.
- Shields, N., J. Gormley, et al. (2001). "Short-wave diathermy: a review of existing clinical trials." Phys-Ther-Rev **6**(2): 101-18.
- Shields, N., J. Gormley, et al. (2001). "Short-wave diathermy in Irish physiotherapy departments." British Journal of Therapy and Rehabilitation **8**(9): 331-9.
- Spielholz, N. I., L. C. Kloth, et al. (2000). "Electrical stimulation and pulsed electromagnetic energy: differences in opinion... Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review (Ostomy/Wound Management. 2000;46(2):28-44)." OstomyWound Management **46**(5): 8, 10, 12.
- Takahashi, K., T. Suyama, et al. (2000). "Clinical effects of capacitive electric transfer hyperthermia therapy for cervico-omo-brachial pain." J-Phys-Ther-Sci **12**(1): 43-8.
- Tortorici, L. and S. Purdy (2000). "Laser and electromagnetic fields in the treatment of cancer." Rehabilitation Oncology **18**(3): 18-22.
- Van Nguyen, J. P. and R. Marks (2002). "Pulsed electromagnetic fields for treating osteoarthritis." Physiotherapy **88**(8): 458-470.
- Vangsnæs, C. T., J. D. Polousky, et al. (2003). "Radiofrequency thermal effects on the human meniscus." Am J Sports Med **31**(2): 253-256.
- Wallace, A. L., R. M. Hollinshead, et al. (2002). "Creep behaviour of a rabbit model of ligament laxity after electrothermal shrinkage in vivo." Am J Sports Med **30**(1): 98-102.



SWD / PSWD for Fracture Healing

Darendeliler, M. A., A. Darendeliler, et al. (1997). "Effects of static magnetic and pulsed electromagnetic fields on bone healing." *Int J Adult Orthodon Orthognath Surg* 12(1): 43-53.

Grace, K. L., W. J. Revell, et al. (1998). "The effects of pulsed electromagnetism on fresh fracture healing: osteochondral repair in the rat femoral groove." *Orthopedics* 21(3): 297-302.

Ito, H. and Y. Shirai (2001). "The efficacy of ununited tibial fracture treatment using pulsing electromagnetic fields: relation to biological activity on nonunion bone ends." *J Nippon Med Sch* 68(2): 149-53.

Leisner, S., R. Shahar, et al. (2002). "The effect of short-duration, high-intensity electromagnetic pulses on fresh ulnar fractures in rats." *J Vet Med A Physiol Pathol Clin Med* 49(1): 33-7.

Otter, M. W., K. J. McLeod, et al. (1998). "Effects of electromagnetic fields in experimental fracture repair." *Clin Orthop*(355 Suppl): S90-104.

Ryaby, J. T. (1998). "Clinical effects of electromagnetic and electric fields on fracture healing." *Clin Orthop*(355 Suppl): S205-15.

Satter Syed, A., M. S. Islam, et al. (1999). "Pulsed electromagnetic fields for the treatment of bone fractures." *Bangladesh Med Res Counc Bull* 25(1): 6-10.



TENS

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for knee pain." *Physical Therapy* **81**(10): 1675-700.

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for knee pain." *Phys Ther* **81**(10 (Special Issue)): 1-14.

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for knee pain." *Physical Therapy* **81**(10): 1675-700.

- Ahmed, H. E., P. F. White, et al. (2000). "Use of percutaneous electrical nerve stimulation (PENS) in the short-term management of headache." Headache **40**(4): 311-5.
- Al'Ajlan, A., K. Thestrup-Pedersen, et al. (2000). "Contact leukoderma following nickel dermatitis elicited by TENS electrode plates." Contact Dermatitis **42**(3): 172-3.
- Alves-Guerreiro, J., G. Noble, et al. (2001). "The effect of three electrotherapeutic modalities upon peripheral nerve conduction and mechanical pain threshold." Clinical Physiology **21**(6): 704-711.
- Avdic, D. and A. Buljina (2000). "[TENS in the treatment of muscle spasm]." Med Arh **54**(1): 49-51.
- Bajwa, Z. H., S. Gupta, et al. (2001). "Pain management in polycystic kidney disease." Kidney Int **60**(5): 1631-44.
- Bertoti, D. B. (2000). "Electrical stimulation: a reflection on current clinical practices." Assist Technol **12**(1): 21-32.
- Bodofsky, E. (2002). "Treating carpal tunnel syndrome with lasers and TENS." Arch Phys Med Rehabil **83**(12): 1806; author reply 1806-7.
- Bracher, E. S., C. I. Almeida, et al. (2000). "A combined approach for the treatment of cervical vertigo." J Manipulative Physiol Ther **23**(2): 96-100.
- Broadley, A. J. (2000). "The diagnostic dilemma of "pseudopacemaker spikes"." Pacing Clin Electrophysiol **23**(2): 286-8.
- Brosseau, L., S. Milne, et al. (2002). "Efficacy of the transcutaneous electrical nerve stimulation for the treatment of chronic low back pain." Spine **27**(6): 596-603.
- Carrol, E. N. and A. S. Badura (2001). "Focal intense brief transcutaneous electric nerve stimulation for treatment of radicular and postthoracotomy pain." Arch Phys Med Rehabil **82**(2): 262-4.
- Carroll, D., C. Joint, et al. (2000). "Motor cortex stimulation for chronic neuropathic pain: a preliminary study of 10 cases." Pain **84**(2-3): 431-7.
- Cauraugh, J., K. Light, et al. (2000). "Chronic motor dysfunction after stroke: recovering wrist and finger extension by electromyography-triggered neuromuscular stimulation." Stroke **31**(6): 1360-4.
- Chandran, P. and K. A. Sluka (2003). "Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration." Pain **102**: 195-201.
- Chesterton, L. S., P. Barlas, et al. (2002). "Sensory stimulation (TENS): effects of parameter manipulation on mechanical pain thresholds in healthy human subjects." Pain **99**: 253-262.
- Cosmo, P., H. Svensson, et al. (2000). "Effects of transcutaneous nerve stimulation on the microcirculation in chronic leg ulcers." Scand J Plast Reconstr Surg Hand Surg **34**(1): 61-4.
- Cramp, A. F., C. Gilsean, et al. (2000). "The effect of high- and low-frequency transcutaneous electrical nerve stimulation upon cutaneous blood flow and skin temperature in healthy subjects." Clin Physiol **20**(2): 150-7.
- Cramp, F. L., G. R. McCullough, et al. (2002). "Transcutaneous electric nerve stimulation: the effect of

intensity on local and distal cutaneous blood flow and skin temperature in healthy subjects." Arch Phys Med Rehabil **83**(1): 5-9.

Cramp, F. L., G. Noble, et al. (2000). "A controlled study on the effects of transcutaneous electrical nerve stimulation and interferential therapy upon the RIII nociceptive and H- reflexes in humans." Arch Phys Med Rehabil **81**(3): 324-33.

Eble, O. S., I. E. Jonas, et al. (2000). "Transcutaneous electrical nerve stimulation (TENS): its short-term and long-term effects on the masticatory muscles." J Orofac Orthop **61**(2): 100-11.

Gadsby, J. G. and M. W. Flowerdew (2000). "Transcutaneous electrical nerve stimulation and acupuncture-like transcutaneous electrical nerve stimulation for chronic low back pain." Cochrane Database Syst Rev **2**.

Gopalkrishnan, P. and K. A. Sluka (2000). "Effect of varying frequency, intensity, and pulse duration of transcutaneous electrical nerve stimulation on primary hyperalgesia in inflamed rats." Arch Phys Med Rehabil **81**(7): 984-90.

Harris, G. R. and J. L. Susman (2002). "Managing musculoskeletal complaints with rehabilitation therapy: summary of the Philadelphia Panel evidence-based clinical practice guidelines on musculoskeletal rehabilitation interventions." J Fam Pract **51**(12): 1042-6.

Hoshiyama, M. and R. Kakigi (2000). "After-effect of transcutaneous electrical nerve stimulation (TENS) on pain-related evoked potentials and magnetic fields in normal subjects." Clin Neurophysiol **111**(4): 717-24.

Hou, C. R., L. C. Tsai, et al. (2002). "Immediate effects of various physical therapeutic modalities on cervical myofascial pain and trigger-point sensitivity." Arch Phys Med Rehabil **83**(10): 1406-14.

Johnson, M. I. (2000). "The clinical effectiveness of TENS in pain management." Critical Reviews in Physical and Rehabilitation Medicine **12**(2): 131-49.

Khalil, Z. and M. Merhi (2000). "Effects of aging on neurogenic vasodilator responses evoked by transcutaneous electrical nerve stimulation: relevance to wound healing." J Gerontol A Biol Sci Med Sci **55**(6): B257-63.

Liebano, R. E., L. M. Ferreira, et al. (2002). "The effect of transcutaneous electrical nerve stimulation on the viability of random skin flaps in rats." Can J Plast Surg **10**(4): 151-154.

Lone, A. R., Z. A. Wafai, et al. (2003). "Analgesic efficacy of transcutaneous electrical nerve stimulation compared with Diclofenac Sodium in osteoarthritis of the knee." Physiotherapy **89**(8): 478-485.

Lytle, C. D., B. M. Thomas, et al. (2000). "Electrostimulators for acupuncture: safety issues." J Altern Complement Med **6**(1): 37-44.

Marples, I. L. (2000). "Transcutaneous electrical nerve stimulation (TENS): an unusual source of electrocardiogram artefact [letter]." Anaesthesia **55**(7): 719-20.

Miller, B. F., K. G. Gruben, et al. (2000). "Circulatory responses to voluntary and electrically induced muscle contractions in humans." Phys Ther **80**(1): 53-60.

Naeser, M. A., K. A. Hahn, et al. (2002). "Carpal tunnel syndrome pain treated with low-level laser and

- microamperes transcutaneous electric nerve stimulation: A controlled study." Arch Phys Med Rehabil **83** (7): 978-88.
- Navarro Nunez, C. and M. Pacheco Carrasco (2000). "[Transcutaneous electric stimulation (TENS) to reduce pain after cesarean section]." Ginecol Obstet Mex **68**: 60-3.
- Ness, T. J., R. B. Fillingim, et al. (2000). "Low intensity vagal nerve stimulation lowers human thermal pain thresholds." Pain **86**(1-2): 81-5.
- Oliveira, R. and W. A. Prado (2000). "Anti-hyperalgesic effect of electroacupuncture in a model of post-incisional pain in rats." Braz J Med Biol Res **33**(8): 957-60.
- Ozgur Tan, M., Z. Sandikci, et al. (2001). "Combination of transcutaneous electrical nerve stimulation and ondansetron in preventing cisplatin-induced emesis." Urol Int **67**(1): 54-8.
- Palmer, S. T., D. J. Martin, et al. (2004). "Effects of electric stimulation on C and A delta fiber-mediated thermal perception thresholds." Arch Phys Med Rehabil **85**: 119-128.
- Pavlova, Z. V., K. P. Laktionov, et al. (2000). "[beta-Endorphin in the blood plasma and cerebrospinal fluid--a marker of analgesic efficacy in acute postoperative and chronic pain in cancer patients]." Anesteziol Reanimatol(2): 14-7.
- Peeker, R. and M. Fall (2000). "Treatment guidelines for classic and non-ulcer interstitial cystitis." Int Urogynecol J Pelvic Floor Dysfunct **11**(1): 23-32.
- Perennou, D. A., C. Leblond, et al. (2001). "Transcutaneous electric nerve stimulation reduces neglect-related postural instability after stroke." Arch Phys Med Rehabil **82**(4): 440-8.
- Petrakis, E. and V. Sciacca (2000). "Prospective study of transcutaneous oxygen tension (TcPO₂) measurement in the testing period of spinal cord stimulation in diabetic patients with critical lower limb ischaemia." Int Angiol **19**(1): 18-25.
- Petrakis, I. E. and V. Sciacca (2000). "Spinal cord stimulation in diabetic lower limb critical ischaemia: transcutaneous oxygen measurement as predictor for treatment success." Eur J Vasc Endovasc Surg **19** (6): 587-92.
- Roche, P., H.-Y. Tan, et al. (2002). "Modification of induced ischaemic pain by placebo electrotherapy." Physiotherapy Theory and Practice **18**: 131-139.
- Scherder, E. J., E. J. Van Someren, et al. (2000). "Effects of transcutaneous electrical nerve stimulation (TENS) on cognition and behaviour in aging." Behav Brain Res **111**(1-2): 223-5.
- Serafini, G., G. Marineo, et al. (2000). ""Scrambler therapy": a new option in neuropathic pain treatment?" Pain-Clin **12**(4): 287-98.
- Sherry, J. E., K. M. Oehrlein, et al. (2001). "Effect of burst-mode transcutaneous electrical nerve stimulation on peripheral vascular resistance." Physical Therapy **81**(6): 1183-91.
- Sluka, K. A., M. A. Judge, et al. (2000). "Low frequency TENS is less effective than high frequency TENS at reducing inflammation-induced hyperalgesia in morphine-tolerant rats." Eur J Pain **4**(2): 185-93.

Sonde, L., H. Kalimo, et al. (2000). "Low TENS treatment on post-stroke paretic arm: a three-year follow-up." Clin Rehabil **14**(1): 14-9.

Targan, R. S., G. Alon, et al. (2000). "Effect of long-term electrical stimulation on motor recovery and improvement of clinical residuals in patients with unresolved facial nerve palsy." Otolaryngol Head Neck Surg **122**(2): 246-52.

Tinegate, H. and J. McLelland (2002). "Transcutaneous electrical nerve stimulation may improve pruritus associated with haematological disorders." Clin Lab Haematol **24**(6): 389-90.

Tsen, L. C., J. Thomas, et al. (2000). "Transcutaneous electrical nerve stimulation does not augment combined spinal epidural labour analgesia." Can J Anaesth **47**(1): 38-42.

van Dijk, K. R., E. J. Scherder, et al. (2002). "Effects of transcutaneous electrical nerve stimulation (TENS) on non-pain related cognitive and behavioural functioning." Rev Neurosci **13**(3): 257-70.

Walsh, D. M., G. Noble, et al. (2000). "Study of the effects of various transcutaneous electrical nerve stimulation (TENS) parameters upon the RIII nociceptive and H-reflexes in humans." Clin Physiol **20**(3): 191-9.

Wang, R. Y., R. C. Chan, et al. (2000). "Effects of thoraco-lumbar electric sensory stimulation on knee extensor spasticity of persons who survived cerebrovascular accident (CVA)." J Rehabil Res Dev **37**(1): 73-9.



[Return to Top](#)

Tissue Healing & Wound Repair

Ahtikoski, A. M., S. Koskinen, et al. (2003). "Synthesis and degradation of type IV collagen in rat skeletal muscle during immobilisation in shortened and lengthened positions." Acta Physiol Scand **177**: 473-481.

Bleustein, C. B., C. N. Walker, et al. (2000). "Semi-solid albumin solder improved mechanical properties for laser tissue welding." Lasers Surg Med **27**(2): 140-6.

Bogie, K. M., S. I. Reger, et al. (2000). "Electrical stimulation for pressure sore prevention and wound healing." Assist Technol **12**(1): 50-66.

Cheng, M. H., H. C. Chen, et al. (2000). "Devices for ischemic preconditioning of the pedicled groin flap." J Trauma **48**(3): 552-7.

Cho, M. R., H. S. Thatte, et al. (2000). "Integrin-dependent human macrophage migration induced by oscillatory electrical stimulation." Ann Biomed Eng **28**(3): 234-43.

Cochener, B., F. Kling, et al. (2000). "[Indomethacin (indocollyre) versus diclofenac (voltarene) for the control of pain following excimer photoablation]." J Fr Ophtalmol **23**(6): 555-62.

- Collawn, S. S. (2000). "Occlusion following laser resurfacing promotes reepithelialization and wound healing." Plast Reconstr Surg **105**(6): 2180-9.
- Conn, H. and V. S. Nanda (2000). "Prophylactic fluconazole promotes reepithelialization in full-face carbon dioxide laser skin resurfacing." Lasers Surg Med **26**(2): 201-7.
- Cook, J. L., K. M. Khan, et al. (2002). "Achilles tendinopathy." Manual Therapy **7**(3): 121-130.
- Cukjati, D., S. Rebersek, et al. (2001). "A reliable method of determining wound healing rate." Med Biol Eng Comput **39**: 263-271.
- Egozi, E. I., A. M. Ferreira, et al. (2003). "Mast cells modulate the inflammatory but not the proliferative response in healing wounds." Wound Repair Regen **11**(1): 46-54.
- Evans, N. A. and W. D. Stanish (2000). "The basic science of tendon injuries." Current Orthopaedics **14**: 403-412.
- Flemming, K. and N. Cullum (2000). "Therapeutic ultrasound for pressure sores (Cochrane Review)." Cochrane Database Syst Rev **4**.
- Franek, A., A. Polak, et al. (2000). "Modern application of high voltage stimulation for enhanced healing of venous crural ulceration." Medical Engineering and Physics **22**: 647-655.
- Fried, N. M. and J. T. Walsh, Jr. (2000). "Cryogen spray cooling during laser tissue welding." Phys Med Biol **45**(3): 753-63.
- Fried, N. M. and J. T. Walsh, Jr. (2000). "Laser skin welding: in vivo tensile strength and wound healing results." Lasers Surg Med **27**(1): 55-65.
- Gebauer, D. and M. A. Constantinescu (2000). "[Effect of surgical laser on collagen-rich tissue]." Handchir Mikrochir Plast Chir **32**(1): 38-43.
- Goldman, R. J., B. I. Brewley, et al. (2002). "Electrotherapy reoxygenates inframalleolar ischemic wounds on diabetic patients." Advances in Skin and Wound Care **15**(3 part 1): 112-20.
- Hatano, I., T. Suga, et al. (2000). "Adhesions from flexor tendon surgery: an animal study comparing surgical techniques." J Hand Surg [Am] **25**(2): 252-9.
- Heckenkamp, J., F. Adili, et al. (2000). "Local photodynamic action of methylene blue favorably modulates the postinterventional vascular wound healing response." J Vasc Surg **31**(6): 1168-77.
- Hill, M., A. Wernig, et al. (2003). "Muscle satellite (stem) cell activation during local tissue injury and repair." J Anat **203**: 89-99.
- Houghton, P. E., C. B. Kincaid, et al. (2003). "Effect of electrical stimulation on chronic leg ulcer size and appearance." Physical Therapy **83**: 17-28.
- Jeng, S. F. and Y. R. Kuo (2000). "Healing of untidy traumatic skin defect of the face by secondary intention." Chang Keng I Hsueh Tsa Chih **23**(4): 211-7.
- Khalil, Z. and M. Merhi (2000). "Effects of aging on neurogenic vasodilator responses evoked by transcutaneous electrical nerve stimulation: relevance to wound healing." J Gerontol A Biol Sci Med Sci

55(6): B257-63.

Klucinec, B., M. Scheidler, et al. (2000). "Effectiveness of wound care products in the transmission of acoustic energy." Physical Therapy **80**: 469-476.

Lorena, D., K. Uchio, et al. (2002). "Normal scarring : importance of myofibroblasts." Wound Repair Regen **10**(2): 86-92.

McNally, K. M., B. S. Sorg, et al. (2000). "Novel solid protein solder designs for laser-assisted tissue repair." Lasers Surg Med **27**(2): 147-57.

Meacock, R. S. (2001). "Skenar healing devices." Positive Health(60): 21-4.

Mordon, S., A. Capon, et al. (2000). "In vivo experimental evaluation of skin remodeling by using an Er:Glass laser with contact cooling." Lasers Surg Med **27**(1): 1-9.

Mushahwar, V. K. and K. W. Horch (2000). "Muscle recruitment through electrical stimulation of the lumbo-sacral spinal cord." IEEE Trans Rehabil Eng **8**(1): 22-9.

Onouye, T., G. Menaker, et al. (2000). "Occlusive dressing versus oxygen mist therapy following CO₂ laser resurfacing." Dermatol Surg **26**(6): 572-6.

Pellett, R. (2000). "The use of electrical stimulation in wound healing: a review of the literature." Acute Care Perspectives **9**(1): 9-15.

Riess, J. and J. J. Abbas (2000). "Adaptive neural network control of cyclic movements using functional neuromuscular stimulation." IEEE Trans Rehabil Eng **8**(1): 42-52.

Rithalia, S. and L. Kenney (2001). "The art and science of evaluating patient support surfaces." World Wide Wounds **72**.

Roques, C. (2002). "Massage applied to scars." Wound Repair Regen **10**(2): 126-128.

Sanders, D. L. and L. Reinisch (2000). "Wound healing and collagen thermal damage in 7.5-microsec pulsed CO₂ laser skin incisions." Lasers Surg Med **26**(1): 22-32.

Schindl, A., M. Schindl, et al. (2000). "Low intensity laser irradiation in the treatment of recalcitrant radiation ulcers in patients with breast cancer--long-term results of 3 cases." Photodermatol Photoimmunol Photomed **16**(1): 34-7.

Schindl, A., M. Schindl, et al. (2000). "Low-intensity laser therapy: a review." J Investig Med **48**(5): 312-26.

Schlager, A., P. Kronberger, et al. (2000). "Low-power laser light in the healing of burns: a comparison between two different wavelengths (635 nm and 690 nm) and a placebo group." Lasers Surg Med **27**(1): 39-42.

Schlager, A., K. Oehler, et al. (2000). "Healing of burns after treatment with 670-nanometer low-power laser light." Plast Reconstr Surg **105**(5): 1635-9.

Sheffet, A., A. S. Cytryn, et al. (2000). "Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review." Ostomy Wound Manage **46**(2): 28-33, 36-40, 42-4.

Song, B., M. Zhao, et al. (2002). "Electrical cues regulate the orientation and frequency of cell division and the rate of wound healing in vivo." *PNAS* **99**(21): 13577-13582.

Spielholz, N. I. and L. C. Kloth (2000). "Electrical stimulation and pulsed electromagnetic energy: differences in opinion [letter; comment]." *Ostomy Wound Manage* **46**(5): 8, 10, 12.

Targan, R. S., G. Alon, et al. (2000). "Effect of long-term electrical stimulation on motor recovery and improvement of clinical residuals in patients with unresolved facial nerve palsy." *Otolaryngol Head Neck Surg* **122**(2): 246-52.

Thawer, H. A. and P. E. Houghton (2001). "Effects of electrical stimulation on the histological properties of wounds in diabetic mice." *Wound Repair Regen* **9**: 107-115.

Trock, D. H. (2000). "Electromagnetic fields and magnets. Investigational treatment for musculoskeletal disorders." *Rheum Dis Clin North Am* **26**(1): 51-62, viii.

Wagner, S., S. Coerper, et al. (2003). "Comparison of inflammatory and systemic sources of growth factors in acute and chronic human wounds." *Wound Repair Regen* **11**: 253-260.

Walker, M. D., S. Rumpf, et al. (2000). "Effect of low-intensity laser irradiation (660 nm) on a radiation-impaired wound-healing model in murine skin." *Lasers Surg Med* **26**(1): 41-7.

Watson, T. (2003). "Soft Tissue Healing." *In Touch* **104**: 2-9.

Webb, J. C. J. and J. Tricker (2000). "A review of fracture healing." *Current Orthopaedics* **14**: 457-463.

 [Return to Top](#)

Ultrasound Therapy

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for knee pain." *Physical Therapy* **81**(10): 1675-700.

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for low back pain." *Physical Therapy* **81**(10): 1641-74.

(2001). "Philadelphia panel evidence-based clinical practice guidelines on selected rehabilitation interventions for neck pain." *Physical Therapy* **81**(10): 1701-17.

Aufdemkampe, G. (2000). "[Insufficient scientific evidence for efficacy of widely used electrotherapy, laser therapy and ultrasound treatment in physiotherapy (letter; comment)]." *Ned Tijdschr Geneesk* **144**(30): 1462-3.

Baker, K. G., V. J. Robertson, et al. (2001). "A review of therapeutic ultrasound: biophysical effects."

Physical Therapy **81**(7): 1351-8.

Ballard, K. and H. Charles (2001). "NTplus. Ultrasound therapy." Nursing Times **97**(24): 58-9.

Bouter, L. M. (2000). "[Insufficient scientific evidence for efficacy of widely used electrotherapy, laser therapy, and ultrasound treatment in physiotherapy]." Ned Tijdschr Geneesk **144**(11): 502-5.

Casarotto, R. A., J. C. Adamowski, et al. (2004). "Coupling agents in therapeutic Ultrasound: Acoustic and thermal behaviour." Arch Phys Med Rehabil **85**: 162-165.

Flemming, K. and N. Cullum (2000). "Therapeutic ultrasound for pressure sores (Cochrane Review)." Cochrane Database Syst Rev **4**.

Gann, N. (2003). "Relationship between applied pressure and temperature change in a simulated model during therapeutic ultrasound." Physiotherapy **89**(12): 708-713.

Garrett, C. L., D. O. Draper, et al. (2000). "Heat distribution in the lower leg from pulsed short-wave diathermy and ultrasound treatments." Journal of Athletic Training **35**(1): 50-5.

Grey, K. (2003). "Distribution of treatment time in physiotherapeutic application of ultrasound." Physiotherapy **89**(12): 696-707.

Harris, G. R. and J. L. Susman (2002). "Managing musculoskeletal complaints with rehabilitation therapy: summary of the Philadelphia Panel evidence-based clinical practice guidelines on musculoskeletal rehabilitation interventions." J Fam Pract **51**(12): 1042-6.

Hekkenberg, R., K. Beissner, et al. (2001). "Validated ultrasonic power measurements up to 20W." Ultrasound in Med & Biol **27**(3): 427-438.

Houghton, P. E. and A. Radman (2000). "Effects of therapeutic ultrasound on fetal limb development in an organ culture system." Physiotherapy Theory and Practice **16**(3): 119-34.

Karnes, J. L. and H. W. Burton (2002). "Continuous therapeutic ultrasound accelerates repair of contraction-induced skeletal muscle damage in rats." Arch Phys Med Rehabil **83**(1): 1-4.

Klucinec, B., M. Scheidler, et al. (2000). "Effectiveness of wound care products in the transmission of acoustic energy." Physical Therapy **80**: 469-476.

Kochar, M. and A. Dogra (2002). "Effectiveness of a specific physiotherapy regimen on patients with tennis elbow: clinical study." Physiotherapy **88**(6): 333-41.

Lowe, A. S., M. D. Walker, et al. (2001). "Therapeutic ultrasound and wound closure: lack of healing effect on x-ray irradiated wounds in murine skin." Arch Phys Med Rehabil **82**(11): 1507-11.

Marks, R., S. Ghanagaraja, et al. (2000). "Ultrasound for osteo-arthritis of the knee: a systematic review." Physiotherapy **86**(9): 452-63.

Muche, J. A. (2003). "Efficacy of therapeutic ultrasound treatment of a meniscus tear in a severely disabled patient: a case report." Arch Phys Med Rehabil **84**(10): 1558-9.

Muromtsev, A. V., K. Tokmachev Iu, et al. (2000). "[The clinical and pathophysiological characteristics of the combined use of diaphragmatic electrostimulation and ultrasonic inhalation in patients with

obstructive bronchitis]." Patol Fiziol Eksp Ter(1): 18-20.

Pan, P.-J., C. L. Chou, et al. (2003). "Extracorporeal shock wave therapy for chronic calcific tendinitis of the shoulders: A functional and sonographic study." Arch Phys Med Rehabil **84**(7): 988-93.

Pienimaki, T. (2000). "Conservative treatment and rehabilitation of tennis elbow: a review article." Crit-Rev-Phys-Rehabil-Med **12**(3): 213-28.

Robertson, V. J. and K. G. Baker (2001). "A review of therapeutic ultrasound: effectiveness studies." Physical Therapy **81**(7): 1339-50.

Rodger, J. (2000). "The role of ultrasound in the treatment of surgically repaired tendon injuries of the hand: a literature review." British Journal of Hand Therapy **5**(2): 42-5.

Rompe, J. D., J. Decking, et al. (2003). "Shock wave application for chronic plantar fasciitis in running athletes: A prospective randomised placebo-controlled trial." Am J Sports Med **31**(2): 268-275.

Rompe, J. D., C. Riedel, et al. (2001). "Chronic lateral epicondylitis of the elbow: A prospective study of low-energy shockwave therapy and low-energy shockwave therapy plus manual therapy of the cervical spine." Arch Phys Med Rehabil **82**(5): 578-82.

Saunders, L. (2003). "Laser versus ultrasound in the treatment of supraspinatus tendinosis." Physiotherapy **89**(6): 365-373.

Scheepe, J. R., S. Bross, et al. (2000). "[Volumetry of the urinary bladder with implantable ultrasound sensors]." Urologe A **39**(3): 235-9.

van der Heijden, G. J., P. Leffers, et al. (2000). "Shoulder disability questionnaire design and responsiveness of a functional status measure." J Clin Epidemiol **53**(1): 29-38.

Wang, C.-J. and H.-S. Chen (2002). "Shock wave therapy for patients with lateral epicondylitis of the elbow: A one to two year follow up study." Am J Sports Med **30**(3): 422-425.

Wang, C.-J., K. D. Yang, et al. (2003). "Shock wave therapy for calcific tendinitis of the shoulder: A prospective clinical study with two year follow up." Am J Sports Med **31**(3): 425-430.

Warden, S. (2003). "A new direction for ultrasound therapy in sports medicine." Sports Med **33**(2): 95-107.

Warden, S. and J. M. McMeeken (2002). "Ultrasound usage and dosage in sports physiotherapy." Ultrasound in Med & Biol **28**(8): 1075-1080.

Watson, T. (2000). "Masterclass. The role of electrotherapy in contemporary physiotherapy practice." Manual Therapy **5**(3): 132-41.

Watson, T. (2002). "Ultrasound Dose Calculations" In Touch 101;14-17



[Return to Top](#)

Ultrasound and Fracture Repair

Anglen, J. (2003). "The clinical use of bone stimulators." *J South Orthop Assoc* **12**(2): 46-54.

Aynaci, O., C. Onder, et al. (2002). "The effect of ultrasound on the healing of muscle-pediculated bone graft in spinal fusion." *Spine* **27**(14): 1531-5.

Azuma, Y., M. Ito, et al. (2001). "Low-intensity pulsed ultrasound accelerates rat femoral fracture healing by acting on the various cellular reactions in the fracture callus." *J Bone Miner Res* **16**(4): 671-80.

Busse, J. W., M. Bhandari, et al. (2002). "The effect of low-intensity pulsed ultrasound therapy on time to fracture healing: a meta-analysis." *Cmaj* **166**(4): 437-41.

Chang, W. H., J. S. Sun, et al. (2002). "Study of thermal effects of ultrasound stimulation on fracture healing." *Bioelectromagnetics* **23**(4): 256-63.

Childs, S. G. (2003). "Stimulators of bone healing. Biologic and biomechanical." *Orthop Nurs* **22**(6): 421-8.

Divelbiss, B. J. and B. D. Adams (2001). "Electrical and ultrasound stimulation for scaphoid fractures." *Hand Clin* **17**(4): 697-701, x-xi.

Eck, J. C., S. D. Hodges, et al. (2001). "Techniques for stimulating spinal fusion: efficacy of electricity, ultrasound, and biologic factors in achieving fusion." *Am J Orthop* **30**(7): 535-41.

Fujioka, H., M. Tsunoda, et al. (2000). "Treatment of ununited fracture of the hook of hamate by low-intensity pulsed ultrasound: a case report." *J Hand Surg [Am]* **25**(1): 77-9.

Hannouche, D., H. Petite, et al. (2001). "Current trends in the enhancement of fracture healing." *J Bone Joint Surg Br* **83**(2): 157-64.

Heybeli, N., A. Yesildag, et al. (2002). "Diagnostic ultrasound treatment increases the bone fracture-healing rate in an internally fixed rat femoral osteotomy model." *J Ultrasound Med* **21**(12): 1357-63.

Korstjens, C. M., P. A. Nolte, et al. (2002). "[Effects of low-intensity ultrasound on bone. Perspectives for dentistry?]." *Ned Tijdschr Tandheelkd* **109**(12): 485-9.

Mayr, E. (2000). "[More rapid recovery after fracture. When can ultrasound accelerate healing?]. Interview by Petra Eiden." *MMW Fortschr Med* **142**(35): 10.

Mayr, E., V. Frankel, et al. (2000). "Ultrasound--an alternative healing method for nonunions?" *Arch Orthop Trauma Surg* **120**(1-2): 1-8.

Mayr, E., A. Laule, et al. (2001). "Radiographic results of callus distraction aided by pulsed low-intensity ultrasound." *J Orthop Trauma* **15**(6): 407-14.

Mayr, E., C. Mockl, et al. (2002). "[Is low intensity ultrasound effective in treatment of disorders of fracture healing?]." *Unfallchirurg* **105**(2): 108-15.

Mayr, E., M. M. Rudzki, et al. (2000). "[Does low intensity, pulsed ultrasound speed healing of scaphoid fractures?]." Handchir Mikrochir Plast Chir **32**(2): 115-22.

McAlinden, M. M. (2002). "Fracture healing using low-intensity pulsed ultrasound." Cmaj **167**(2): 128; author reply 128.

Nelson, F. R., C. T. Brighton, et al. (2003). "Use of physical forces in bone healing." J Am Acad Orthop Surg **11**(5): 344-54.

Nishikori, T., M. Ochi, et al. (2002). "Effects of low-intensity pulsed ultrasound on proliferation and chondroitin sulfate synthesis of cultured chondrocytes embedded in Atelocollagen gel." J Biomed Mater Res **59**(2): 201-6.

Nolte, P. A., A. van der Krans, et al. (2001). "Low-intensity pulsed ultrasound in the treatment of nonunions." J Trauma **51**(4): 693-702; discussion 702-3.

Rawool, N. M., B. B. Goldberg, et al. (2003). "Power Doppler assessment of vascular changes during fracture treatment with low-intensity ultrasound." J Ultrasound Med **22**(2): 145-53.

Rubin, C., M. Bolander, et al. (2001). "The use of low-intensity ultrasound to accelerate the healing of fractures." J Bone Joint Surg Am **83-A**(2): 259-70.

Schortinghuis, J., B. Stegenga, et al. (2003). "Ultrasound stimulation of maxillofacial bone healing." Crit Rev Oral Biol Med **14**(1): 63-74.

Takikawa, S., N. Matsui, et al. (2001). "Low-intensity pulsed ultrasound initiates bone healing in rat nonunion fracture model." J Ultrasound Med **20**(3): 197-205.

Vocke-Hell, A. K. and A. Schmid (2001). "Sonographic differentiation of stable and unstable lateral condyle fractures of the humerus in children." J Pediatr Orthop B **10**(2): 138-41.

Warden, S. J., K. L. Bennell, et al. (2000). "Acceleration of fresh fracture repair using the sonic accelerated fracture healing system (SAFHS): a review." Calcif Tissue Int **66**(2): 157-63.

Warden, S. J., J. M. Favalaro, et al. (2001). "Low-intensity pulsed ultrasound stimulates a bone-forming response in UMR-106 cells." Biochem Biophys Res Commun **286**(3): 443-50.

Wefer, J., A. Wefer, et al. (2000). "[Healing of autologous cancellous bone transplants and hydroxylapatite ceramics in tibial segment defects. Value of ultrasonic follow up]." Unfallchirurg **103**(6): 452-61.

Wimsatt, J., P. Dressen, et al. (2000). "Ultrasound therapy for the prevention and correction of contractures and bone mineral loss associated with wing bandaging in the domestic pigeon (*Columba livia*)." J Zoo Wildl Med **31**(2): 190-5.

Yang, K. H. and S. J. Park (2001). "Stimulation of fracture healing in a canine ulna full-defect model by low-intensity pulsed ultrasound." Yonsei Med J **42**(5): 503-8.

 [Return to Top](#)