

MODALITY	Pregnancy (LOCAL)				Pregnancy (ANYWHERE)				
	CSP	Canada	Aus	SUMMARY	CSP	Canada	Aus	SUMMARY	
ULTRASOUND									
Pulsed/Non Thermal	CI	CI	CI	CI	OK	OK	OK	OK	
Continuous/Thermal	CI	CI	CI	CI	OK	OK	OK	OK	
LASER	CI	CI	CI	CI	OK	OK	OK	OK	
SHORTWAVE / MICROWAVE/RF									
Continuous Shortwave	CI	CI	CI	CI	CI	CI	CI	CI	
Pulsed Shortwave	CI	CI	CI	CI	CI	CI	CI	CI	
Microwave	CI	CI	CI	CI	CI	CI	CI	CI	
ELECTRICAL STIMULATION									
GENERIC	CI	CI	CI	CI	OK	OK	OK	OK	
SUPERFICIAL HEAT / COLD									
INFRARED	OK	NO INFO	NO INFO	OK	OK	NO INFO	NO INFO	OK	
HOT PACK	OK	PREC	OK	OK	OK	OK	OK	OK	
COLD/CRYOTHERAPY	PREC	OK	OK	OK	OK	OK	OK	OK	
OTHERS									
BIOFEEDBACK (NO STIMULATION)	OK	NO INFO	NO INFO	OK	OK	NO INFO	NO INFO	OK	
ULTRA VIOLET RADIATION	PREC	NO INFO	OK	PREC	PREC	NO INFO	OK	PREC	
SHOCKWAVE	NO INFO	NO INFO	NO INFO	CI	NO INFO	NO INFO	NO INFO	CI	
		CONTRAINDICATION				PRECAUTION			
		NO KNOWN ADVERSE EFFECT				NO INFORMATION INCLUDED			
Information abstracted from Australian APA Guidance (2001); Chartered Society of Physiotherapy (UK) Guidance (2006) and Canadian Physiotherapy Association Guidance (2010)									